

## Servoy JasperReports Plugin - Feature #542

**Add method `getReportDirectory()` and `getExtraDirectories()` which return the server directories as configured on the admin page**

08/08/2012 11:01 PM - Rossen Totev

<b>Status:</b>	Rejected	<b>Start date:</b>	08/08/2012
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Browser (if web client):</b>			
<b>Description</b> I am all for preventing the clients from being able to change the reports root directory so the new "relative..." path properties are fine. However we still need to be able to get the path for the root reports directories as configured on the server - in other words, deprecating the <code>reportDirectory</code> property is fine but please introduce new methods: <code>getReportDirectory()</code> and <code>getExtraDirectories()</code>			

### History

#### #1 - 09/14/2012 11:53 AM - Rob Gansevles

- Status changed from New to Rejected

#### #2 - 09/14/2012 11:55 AM - Rob Gansevles

We will leave the absolute report dir available as deprecated api, but since using this is discouraged, it will not be part of the regular api.

<https://www.servoy.com/forum/viewtopic.php?f=15&t=18353&sid=530e391a2e54ce47fbe7a91ae5ce3f24&p=100292#p100292>