

## Servoy JasperReports Plugin - Defect #575

### Load image by path

11/12/2012 02:59 PM - Roberto Simonati

<b>Status:</b>	Closed	<b>Start date:</b>	11/12/2012
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>	Andrei Costache	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Browser (if web client):</b>			

#### Description

I use plugin version 3.3.0, Ireport 4.0.0 and Servoy 5.2.15.

I used velocityPlugin to generate a barcode. I get the barcode URL by barcode.getURL() function.

So, I have the URL of my barcode image.

I passed the URL string to a param of Ireport.

I have the param "path\_barcode" class java.lang.String.

I have the image class java.lang.String and the image expression: \$P{path\_barcode}

From the print preview from IReport the report read the correct image with this method but from servoy didn't work.

For now, I get the bytes from the barcodeURL and after:

```
var v_img = new Packages.java.io.ByteArrayInputStream( v_bytes );
```

```
v_img = Packages.java.io.IOException.read( v_img );
```

and pass the variable "v\_img" to a param defined java.awt.Image ( the image object class is java.awt.Image ) and works.

See the discussion in servoy forum: <https://www.servoy.com/forum/viewtopic.php?f=15&t=18815>

Thank you for help.

Bye

Roberto

#### History

##### #1 - 11/19/2012 11:18 AM - Andrei Costache

- Status changed from New to Closed

- Assignee set to Andrei Costache

- % Done changed from 0 to 100

Please use `com.servoy.plugins.jasperreports.JasperReportsResourceLoader.loadImage(..)` and have extra directories set, as noted in <https://www.servoyforge.net/boards/13/topics/644>.