

## NumberToWords Plugin - Defect #627

### Problem running the plugin from the server

01/30/2013 11:08 AM - Juan Antonio Santana Medina

<b>Status:</b>	Closed	<b>Start date:</b>	01/30/2013
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Browser (if web client):</b>			

#### Description

I have a problem running the plugin from the server. It works fine from developer. This is the log I get in my Java console:

```
Exception occurred during event dispatching:
java.lang.NoClassDefFoundError: com/ibm/icu/text/RuleBasedNumberFormat
at com.argossoftware.n2w.plugins.MethodProvider.js_numberToWords(MethodProvider.java:122)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.mozilla.javascript.MemberBox.invoke(MemberBox.java:179)
at org.mozilla.javascript.NativeJavaMethod.call(NativeJavaMethod.java:367)
at org.mozilla.javascript.optimizer.OptRuntime.callIN(OptRuntime.java:81)
at org.mozilla.javascript.gen.c242._c0(Unknown Source)
at org.mozilla.javascript.gen.c242.call(Unknown Source)
at org.mozilla.javascript.optimizer.OptRuntime.callProp0(OptRuntime.java:111)
at org.mozilla.javascript.gen.c235._c0(Unknown Source)
at org.mozilla.javascript.gen.c235.call(Unknown Source)
at com.servoy.j2db.scripting.ScriptEngine.executeFunction(ScriptEngine.java:537)
at com.servoy.j2db.FormController.executeFunction(FormController.java:4070)
at com.servoy.j2db.FormController.executeFunction(FormController.java:3949)
at com.servoy.j2db.FormController.executeFunction(FormController.java:3871)
at com.servoy.j2db.FormController$ScriptExecuter.executeFunction(FormController.java:3726)
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:271)
at com.servoy.j2db.ui.BaseEventExecutor.fireActionCommand(BaseEventExecutor.java:217)
at com.servoy.j2db.smart.dataui.AbstractScriptLabel$5.mouseReleased(AbstractScriptLabel.java:988)
at java.awt.Component.processMouseEvent(Unknown Source)
at javax.swing.JComponent.processMouseEvent(Unknown Source)
at java.awt.Component.processEvent(Unknown Source)
at java.awt.Container.processEvent(Unknown Source)
at java.awt.Component.dispatchEventImpl(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Window.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.EventQueue.dispatchEventImpl(Unknown Source)
at java.awt.EventQueue.access$000(Unknown Source)
at java.awt.EventQueue$1.run(Unknown Source)
at java.awt.EventQueue$1.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.security.AccessControlContext$1.doIntersectionPrivilege(Unknown Source)
at java.security.AccessControlContext$1.doIntersectionPrivilege(Unknown Source)
at java.awt.EventQueue$2.run(Unknown Source)
at java.awt.EventQueue$2.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.security.AccessControlContext$1.doIntersectionPrivilege(Unknown Source)
```

at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.Dialog\$1.run(Unknown Source)  
at java.awt.Dialog\$3.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.awt.Dialog.show(Unknown Source)  
at java.awt.Component.show(Unknown Source)  
at java.awt.Component.setVisible(Unknown Source)  
at java.awt.Window.setVisible(Unknown Source)  
at java.awt.Dialog.setVisible(Unknown Source)  
at com.servoy.j2db.util.gui.JEscapeDialog.setVisible(JEscapeDialog.java:168)  
at com.servoy.j2db.gui.FormDialog.setVisible(FormDialog.java:164)  
at com.servoy.j2db.smart.SwingRuntimeWindow.finalizeShowWindow(SwingRuntimeWindow.java:736)  
at com.servoy.j2db.smart.SwingRuntimeWindow.doOldShowInDialog(SwingRuntimeWindow.java:480)  
at com.servoy.j2db.smart.SwingRuntimeWindow.doOldShow(SwingRuntimeWindow.java:398)  
at com.servoy.j2db.scripting.RuntimeWindow.doShow(RuntimeWindow.java:255)  
at com.servoy.j2db.scripting.RuntimeWindow.show(RuntimeWindow.java:249)  
at com.servoy.j2db.scripting.RuntimeWindow.showObject(RuntimeWindow.java:236)  
at com.servoy.j2db.scripting.JSWindow.js\_show(JSWindow.java:149)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
at java.lang.reflect.Method.invoke(Unknown Source)  
at org.mozilla.javascript.MemberBox.invoke(MemberBox.java:179)  
at org.mozilla.javascript.NativeJavaMethod.call(NativeJavaMethod.java:367)  
at org.mozilla.javascript.optimizer.OptRuntime.call1(OptRuntime.java:65)  
at org.mozilla.javascript.gen.c229.\_c0(svy\_mod\_showFormInDialog:995)  
at org.mozilla.javascript.gen.c229.call(svy\_mod\_showFormInDialog)  
at org.mozilla.javascript.optimizer.OptRuntime.callIN(OptRuntime.java:81)  
at org.mozilla.javascript.gen.c228.\_c0(cmdPrintCheques\_onAction:97)  
at org.mozilla.javascript.gen.c228.call(cmdPrintCheques\_onAction)  
at org.mozilla.javascript.ContextFactory.doTopCall(ContextFactory.java:387)  
at org.mozilla.javascript.ScriptRuntime.doTopCall(ScriptRuntime.java:3135)  
at org.mozilla.javascript.gen.c228.call(cmdPrintCheques\_onAction)  
at com.servoy.j2db.scripting.ScriptEngine.executeFunction(ScriptEngine.java:537)  
at com.servoy.j2db.FormController.executeFunction(FormController.java:4070)  
at com.servoy.j2db.FormController.executeFunction(FormController.java:3949)  
at com.servoy.j2db.FormController.executeFunction(FormController.java:3871)  
at com.servoy.j2db.FormController\$ScriptExecuter.executeFunction(FormController.java:3726)  
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:271)  
at com.servoy.j2db.ui.BaseEventExecutor.fireActionCommand(BaseEventExecutor.java:217)  
at com.servoy.j2db.smart.dataui.AbstractScriptLabel\$5.mouseReleased(AbstractScriptLabel.java:988)  
at java.awt.Component.processMouseEvent(Unknown Source)  
at javax.swing.JComponent.processMouseEvent(Unknown Source)  
at java.awt.Component.processEvent(Unknown Source)  
at java.awt.Container.processEvent(Unknown Source)  
at java.awt.Component.dispatchEventImpl(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Window.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEventImpl(Unknown Source)  
at java.awt.EventQueue.access\$000(Unknown Source)  
at java.awt.EventQueue\$1.run(Unknown Source)  
at java.awt.EventQueue\$1.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.AccessControlContext\$1.doIntersectionPrivilege(Unknown Source)  
at java.security.AccessControlContext\$1.doIntersectionPrivilege(Unknown Source)  
at java.awt.EventQueue\$2.run(Unknown Source)  
at java.awt.EventQueue\$2.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)

```
at java.security.AccessControlContext$1.doIntersectionPrivilege(Unknown Source)
at java.awt.EventQueue.dispatchEvent(Unknown Source)
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)
at java.awt.EventDispatchThread.run(Unknown Source)
Caused by: java.lang.ClassNotFoundException: com.ibm.icu.text.RuleBasedNumberFormat
at java.net.URLClassLoader$1.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.net.URLClassLoader.findClass(Unknown Source)
at com.sun.jnlp.JNLPClassLoader.findClass(Unknown Source)
at java.lang.ClassLoader.loadClass(Unknown Source)
at java.lang.ClassLoader.loadClass(Unknown Source)
... 120 more
```

## History

---

### #1 - 08/01/2013 12:02 PM - Rossen Totev

A few questions which will help us resolve this issue:

- do you have the icu4j-4.8.jar file available on the server?
- did you sign both jar files (the icu4j-4.8.jar and arogs\_number2words-1.0.jar) with the same signature file?
- do you have any other error in the log - in particular anything related to files being signed with different digital signatures?

### #2 - 08/01/2013 12:12 PM - Rossen Totev

- Status changed from *New* to *Feedback*

### #3 - 04/30/2014 12:47 PM - Rossen Totev

- Status changed from *Feedback* to *Closed*

Closing the ticket since no feedback is received