

Dialogs module - Patch #779

Add undecorated parameter for formInModalDialog

01/24/2014 06:46 PM - Adrian McGilly

Status:	Closed	Start date:	01/24/2014
Priority:	Normal	Due date:	
Assignee:	Harjo Kompagnie	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Browser (if web client):			

Description

Adds an optional undecorated parameter for globals.DIALOGS.showFormInModalDialog()

3 code changes required:

CHANGE 1:

```
function showDialog(_sFormName, _sDlgType, _aArguments, _sIconStyle) {
dialogWindow.resizable = (_aArgs[6] null ? true : _aArgs[6]);
dialogWindow.showTextToolbar(_aArgs[7] null ? false : _aArgs[7]);
dialogWindow.undecorated = (_aArgs9 == null ? false : _aArgs9) // <----- NEW LINE
```

CHANGE 2:

```
@ /** * Show a Form In Modal Dialog * @param {String|RuntimeForm} formName * @param {Number} [left] * @param
{Number} [top] * @param {Number} [width] * @param {Number} [height] * @param {String} [title] * @param {Boolean}
[resizable] * @param {Boolean} [showTextToolbar] * @param {String} [windowName] * param {Boolean} [undecorated]
<---- NEW LINE
*/
```

CHANGE 3:

```
this.showFormInModalDialog = function(formName, left, top, width, height, title, resizable, showTextToolbar, windowName,
undecorated) { // <---- MODIFIED CODE
showDialog(null, 'FIMD', arguments);
}
```

History

#1 - 01/29/2014 10:31 AM - Harjo Kompagnie

- Assignee changed from Robert Ivens to Harjo Kompagnie

#2 - 01/29/2014 10:32 AM - Harjo Kompagnie

- Status changed from New to Closed

Please check the latest trunk version.

The undecorated option for FIMD is implementend. Also the DemoDialog solution has been updated for that!