Servoy JasperReports Plugin - Defect #830

nullpointer exception when using virtualizer

11/19/2014 12:16 PM - Harjo Kompagnie

Status:	Resolved	**Start date:**	11/19/2014
Priority:	Urgent	**Due date:**	
Assignee:		**% Done:**	0%
Category:		**Estimated time:**	0.00 hour
Target version:			
Browser (if web client):			

Description

Hi, we have updated to jasper reports plugin, version 4.0.2 final and Servoy 7.4.2
When using the virtualizer, like this: vParameters.put('VIRTUALIZER_TYPE', "swapFile"); //possible options: file, swapFile, gZip

works fine in developer, but I get a nullpointer exception, when used in smart-client from a real app-server.

SEVERE: Throwable
java.lang.NullPointerException
at net.sf.jasperreports.engine.JRPropertiesUtil.getProperty(JRPropertiesUtil.java:143)
at net.sf.jasperreports.engine.JRPropertiesUtil.getIntegerProperty(JRPropertiesUtil.java:559)
at net.sf.jasperreports.engine.fill.JRVirtualizationContext.readObject(JRVirtualizationContext.java:376)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at net.sf.jasperreports.engine.base.ElementsBlock.readObject(VirtualizableElementList.java:559)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at net.sf.jasperreports.engine.base.JRVirtualPrintPage.readObject(JRVirtualPrintPage.java:241)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at java.util.ArrayList.readObject(Unknown Source)
at sun.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)

```
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.defaultReadObject(Unknown Source)
at net.sf.jasperreports.engine.JasperPrint.readObject(JasperPrint.java:681)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at sun.rmi.server.UnicastRef.unmarshalValue(Unknown Source)
at sun.rmi.server.UnicastRef.invoke(Unknown Source)
at com.servoy.plugins.jasperreports.JasperReportsServer_Stub.getJasperPrint(Unknown Source)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at com.servoy.j2db.util.AbstractRemoteInvocationHandler.invokeMethod(AbstractRemoteInvocationHandler.java:77)
at com.servoy.j2db.util.ThreadingRemoteInvocationHandler$1.run(ThreadingRemoteInvocationHandler.java:79)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

nov 19, 2014 10:25:51 AM com.servoy.j2db.util.Debug error
SEVERE: Throwable, script stacktrace:
at DirectManager/forms/quotes_detail/gotoPrintMenu:393 (gotoPrintMenu)

Exception Object: java.lang.Exception: java.lang.NullPointerException
MSG: java.lang.NullPointerException
nov 19, 2014 10:25:51 AM com.servoy.j2db.util.Debug error
SEVERE: null
org.mozilla.javascript.WrappedException: Wrapped java.lang.Exception: java.lang.NullPointerException
(DirectManager/forms/quotes_detail/gotoPrintMenu#393)
at org.mozilla.javascript.Context.throwAsScriptRuntimeEx(Context.java:1815)
at org.mozilla.javascript.MemberBox.invoke(MemberBox.java:180)
at org.mozilla.javascript.NativeJavaMethod.call(NativeJavaMethod.java:312)
at org.mozilla.javascript.optimizer.OptRuntime.callN(OptRuntime.java:78)
at org.mozilla.javascript.gen.DirectManager_forms_quotes_print_menu_printQuoteJasper_144._c_printQuoteJasper_0(Unknown
Source)
at org.mozilla.javascript.gen.DirectManager_forms_quotes_print_menu_printQuoteJasper_144.call(Unknown Source)
at com.servoy.j2db.scripting.ScriptEngine.executeFunction(ScriptEngine.java:628)
at com.servoy.j2db.BasicFormController.executeFunction(BasicFormController.java:818)
at com.servoy.j2db.FormController.executeFunction(FormController.java:1274)
at com.servoy.j2db.FormController.executeFunction(FormController.java:1141)
at com.servoy.j2db.FormController$ScriptExecuter.executeFunction(FormController.java:1053)
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:284)
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:250)
at com.servoy.j2db.ui.BaseEventExecutor.fireActionCommand(BaseEventExecutor.java:218)
at com.servoy.j2db.smart.dataui.AbstractScriptLabel$5.mouseReleased(AbstractScriptLabel.java:929)
at java.awt.Component.processMouseEvent(Unknown Source)
at javax.swing.JComponent.processMouseEvent(Unknown Source)
at java.awt.Component.processEvent(Unknown Source)
at java.awt.Container.processEvent(Unknown Source)
at java.awt.Component.dispatchEventImpl(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
```

```
at java.awt.Window.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.EventQueue.dispatchEventImpl(Unknown Source)
at java.awt.EventQueue.access$200(Unknown Source)
at java.awt.EventQueue$3.run(Unknown Source)
at java.awt.EventQueue$3.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.security.ProtectionDomain$1.doIntersectionPrivilege(Unknown Source)
at java.security.ProtectionDomain$1.doIntersectionPrivilege(Unknown Source)
at java.awt.EventQueue$4.run(Unknown Source)
at java.awt.EventQueue$4.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.security.ProtectionDomain$1.doIntersectionPrivilege(Unknown Source)
at java.awt.EventQueue.dispatchEvent(Unknown Source)
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
at java.awt.WaitDispatchSupport$2.run(Unknown Source)
at java.awt.WaitDispatchSupport$4.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.awt.WaitDispatchSupport.enter(Unknown Source)
at java.awt.Dialog.show(Unknown Source)
at java.awt.Component.show(Unknown Source)
at java.awt.Component.setVisible(Unknown Source)
at java.awt.Window.setVisible(Unknown Source)
at java.awt.Dialog.setVisible(Unknown Source)
at com.servoy.j2db.util.gui.JEscapeDialog.setVisible(JEscapeDialog.java:170)
at com.servoy.j2db.gui.FormDialog.setVisible(FormDialog.java:164)
at com.servoy.j2db.smart.SwingRuntimeWindow.finalizeShowWindow(SwingRuntimeWindow.java:872)
at com.servoy.j2db.smart.SwingRuntimeWindow.doOldShowInDialog(SwingRuntimeWindow.java:508)
at com.servoy.j2db.smart.SwingRuntimeWindow.doOldShow(SwingRuntimeWindow.java:417)
at com.servoy.j2db.scripting.RuntimeWindow.doShow(RuntimeWindow.java:295)
at com.servoy.j2db.scripting.RuntimeWindow.show(RuntimeWindow.java:289)
at com.servoy.j2db.scripting.RuntimeWindow.showObject(RuntimeWindow.java:276)
at com.servoy.j2db.scripting.JSWindow.js_show(JSWindow.java:155)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.mozilla.javascript.MemberBox.invoke(MemberBox.java:158)
at org.mozilla.javascript.NativeJavaMethod.call(NativeJavaMethod.java:312)
at org.mozilla.javascript.optimizer.OptRuntime.call1(OptRuntime.java:62)
at
org.mozilla.javascript.gen.DirectManager_forms_quotes_detail_gotoPrintMenu_129._c_gotoPrintMenu_0(DirectManager/forms/quot
es_detail/gotoPrintMenu:393)
at
org.mozilla.javascript.gen.DirectManager_forms_quotes_detail_gotoPrintMenu_129.call(DirectManager/forms/quotes_detail/gotoPrin
tMenu)
at org.mozilla.javascript.ContextFactory.doTopCall(ContextFactory.java:406)
at org.mozilla.javascript.ScriptRuntime.doTopCall(ScriptRuntime.java:3204)
at
org.mozilla.javascript.gen.DirectManager_forms_quotes_detail_gotoPrintMenu_129.call(DirectManager/forms/quotes_detail/gotoPrin
tMenu)
at com.servoy.j2db.scripting.ScriptEngine.executeFunction(ScriptEngine.java:628)
at com.servoy.j2db.BasicFormController.executeFunction(BasicFormController.java:818)
at com.servoy.j2db.FormController.executeFunction(FormController.java:1274)
at com.servoy.j2db.FormController.executeFunction(FormController.java:1141)
at com.servoy.j2db.FormController$ScriptExecuter.executeFunction(FormController.java:1053)
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:284)
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:250)
at com.servoy.j2db.ui.BaseEventExecutor.fireActionCommand(BaseEventExecutor.java:218)
at com.servoy.j2db.smart.dataui.AbstractScriptLabel$5.mouseReleased(AbstractScriptLabel.java:929)
at java.awt.AWTEventMulticaster.mouseReleased(Unknown Source)
at java.awt.Component.processMouseEvent(Unknown Source)
at javax.swing.JComponent.processMouseEvent(Unknown Source)
at java.awt.Component.processEvent(Unknown Source)
at java.awt.Container.processEvent(Unknown Source)
```

```
at java.awt.Component.dispatchEventImpl(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Window.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.EventQueue.dispatchEventImpl(Unknown Source)
at java.awt.EventQueue.access$200(Unknown Source)
at java.awt.EventQueue$3.run(Unknown Source)
at java.awt.EventQueue$3.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.security.ProtectionDomain$1.doIntersectionPrivilege(Unknown Source)
at java.security.ProtectionDomain$1.doIntersectionPrivilege(Unknown Source)
at java.awt.EventQueue$4.run(Unknown Source)
at java.awt.EventQueue$4.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.security.ProtectionDomain$1.doIntersectionPrivilege(Unknown Source)
at java.awt.EventQueue.dispatchEvent(Unknown Source)
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)
at java.awt.EventDispatchThread.run(Unknown Source)
Caused by: java.lang.Exception: java.lang.NullPointerException
at com.servoy.plugins.jasperreports.JasperReportsProvider.runReport(JasperReportsProvider.java:649)
at com.servoy.plugins.jasperreports.JasperReportsProvider.js_runReport(JasperReportsProvider.java:300)
at com.servoy.plugins.jasperreports.JasperReportsProvider.js_runReport(JasperReportsProvider.java:207)
at com.servoy.plugins.jasperreports.JasperReportsProvider.js_runReport(JasperReportsProvider.java:189)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.mozilla.javascript.MemberBox.invoke(MemberBox.java:158)
... 112 more
Caused by: java.lang.NullPointerException
at net.sf.jasperreports.engine.JRPropertiesUtil.getProperty(JRPropertiesUtil.java:143)
at net.sf.jasperreports.engine.JRPropertiesUtil.getIntegerProperty(JRPropertiesUtil.java:559)
at net.sf.jasperreports.engine.fill.JRVirtualizationContext.readObject(JRVirtualizationContext.java:376)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at net.sf.jasperreports.engine.base.ElementsBlock.readObject(VirtualizableElementList.java:559)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at net.sf.jasperreports.engine.base.JRVirtualPrintPage.readObject(JRVirtualPrintPage.java:241)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
```

```
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at java.util.ArrayList.readObject(Unknown Source)
at sun.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.defaultReadObject(Unknown Source)
at net.sf.jasperreports.engine.JasperPrint.readObject(JasperPrint.java:681)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at sun.rmi.server.UnicastRef.unmarshalValue(Unknown Source)
at sun.rmi.server.UnicastRef.invoke(Unknown Source)
at com.servoy.plugins.jasperreports.JasperReportsServer_Stub.getJasperPrint(Unknown Source)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at com.servoy.j2db.util.AbstractRemoteInvocationHandler.invokeMethod(AbstractRemoteInvocationHandler.java:77)
at com.servoy.j2db.util.ThreadingRemoteInvocationHandler$1.run(ThreadingRemoteInvocationHandler.java:79)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

nov 19, 2014 10:25:51 AM com.servoy.j2db.util.Debug error
SEVERE: null, script stacktrace:
at DirectManager/forms/quotes_detail/gotoPrintMenu:393 (gotoPrintMenu)

nov 19, 2014 10:26:17 AM com.servoy.j2db.util.Debug error
SEVERE: Throwable
java.lang.NullPointerException
at net.sf.jasperreports.engine.JRPropertiesUtil.getProperty(JRPropertiesUtil.java:143)
at net.sf.jasperreports.engine.JRPropertiesUtil.getIntegerProperty(JRPropertiesUtil.java:559)
at net.sf.jasperreports.engine.fill.JRVirtualizationContext.readObject(JRVirtualizationContext.java:376)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at net.sf.jasperreports.engine.base.ElementsBlock.readObject(VirtualizableElementList.java:559)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
```

```
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at net.sf.jasperreports.engine.base.JRVirtualPrintPage.readObject(JRVirtualPrintPage.java:241)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at java.util.ArrayList.readObject(Unknown Source)
at sun.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.defaultReadObject(Unknown Source)
at net.sf.jasperreports.engine.JasperPrint.readObject(JasperPrint.java:681)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at sun.rmi.server.UnicastRef.unmarshalValue(Unknown Source)
at sun.rmi.server.UnicastRef.invoke(Unknown Source)
at com.servoy.plugins.jasperreports.JasperReportsServer_Stub.getJasperPrint(Unknown Source)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at com.servoy.j2db.util.AbstractRemoteInvocationHandler.invokeMethod(AbstractRemoteInvocationHandler.java:77)
at com.servoy.j2db.util.ThreadingRemoteInvocationHandler$1.run(ThreadingRemoteInvocationHandler.java:79)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

nov 19, 2014 10:26:17 AM com.servoy.j2db.util.Debug error
SEVERE: Throwable, script stacktrace:
at DirectManager/forms/quotes_detail/gotoPrintMenu:393 (gotoPrintMenu)
```

History

#1 - 05/27/2015 09:06 AM - Gabi Boros

- Status changed from New to Resolved

fixed in 4.0.3 by using jasperlib v. 4.7.1