

## Servoy JasperReports Plugin - Defect #830

### nullpointer exception when using virtualizer

11/19/2014 12:16 PM - Harjo Kompagnie

|                                 |          |                        |            |
|---------------------------------|----------|------------------------|------------|
| <b>Status:</b>                  | Resolved | <b>Start date:</b>     | 11/19/2014 |
| <b>Priority:</b>                | Urgent   | <b>Due date:</b>       |            |
| <b>Assignee:</b>                |          | <b>% Done:</b>         | 0%         |
| <b>Category:</b>                |          | <b>Estimated time:</b> | 0.00 hour  |
| <b>Target version:</b>          |          |                        |            |
| <b>Browser (if web client):</b> |          |                        |            |

#### Description

Hi, we have updated to jasper reports plugin, version 4.0.2 final and Servoy 7.4.2

When using the virtualizer, like this: `vParameters.put("VIRTUALIZER_TYPE", "swapFile");` //possible options: file, swapFile, gZip

works fine in developer, but I get a nullpointer exception, when used in smart-client from a real app-server.

SEVERE: Throwable

java.lang.NullPointerException

at net.sf.jasperreports.engine.JRPropertiesUtil.getProperty(JRPropertiesUtil.java:143)

at net.sf.jasperreports.engine.JRPropertiesUtil.getIntegerProperty(JRPropertiesUtil.java:559)

at net.sf.jasperreports.engine.fill.JRVirtualizationContext.readObject(JRVirtualizationContext.java:376)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)

at java.lang.reflect.Method.invoke(Unknown Source)

at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)

at java.io.ObjectInputStream.readSerialData(Unknown Source)

at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)

at java.io.ObjectInputStream.readObject0(Unknown Source)

at java.io.ObjectInputStream.readObject(Unknown Source)

at net.sf.jasperreports.engine.base.ElementsBlock.readObject(VirtualizableElementList.java:559)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)

at java.lang.reflect.Method.invoke(Unknown Source)

at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)

at java.io.ObjectInputStream.readSerialData(Unknown Source)

at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)

at java.io.ObjectInputStream.readObject0(Unknown Source)

at java.io.ObjectInputStream.defaultReadFields(Unknown Source)

at java.io.ObjectInputStream.readSerialData(Unknown Source)

at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)

at java.io.ObjectInputStream.readObject0(Unknown Source)

at java.io.ObjectInputStream.readObject(Unknown Source)

at net.sf.jasperreports.engine.base.JRVirtualPrintPage.readObject(JRVirtualPrintPage.java:241)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)

at java.lang.reflect.Method.invoke(Unknown Source)

at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)

at java.io.ObjectInputStream.readSerialData(Unknown Source)

at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)

at java.io.ObjectInputStream.readObject0(Unknown Source)

at java.io.ObjectInputStream.readObject(Unknown Source)

at java.util.ArrayList.readObject(Unknown Source)

at sun.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)

at java.lang.reflect.Method.invoke(Unknown Source)

at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)

at java.io.ObjectInputStream.readSerialData(Unknown Source)

at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)

```
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.defaultReadObject(Unknown Source)
at net.sf.jasperreports.engine.JasperPrint.readObject(JasperPrint.java:681)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at sun.rmi.server.UnicastRef.unmarshalValue(Unknown Source)
at sun.rmi.server.UnicastRef.invoke(Unknown Source)
at com.servoy.plugins.jasperreports.JasperReportsServer_Stub.getJasperPrint(Unknown Source)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at com.servoy.j2db.util.AbstractRemoteInvocationHandler.invokeMethod(AbstractRemoteInvocationHandler.java:77)
at com.servoy.j2db.util.ThreadingRemoteInvocationHandler$1.run(ThreadingRemoteInvocationHandler.java:79)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

nov 19, 2014 10:25:51 AM com.servoy.j2db.util.Debug error  
SEVERE: Throwable, script stacktrace:  
at DirectManager/forms/quotes\_detail/gotoPrintMenu:393 (gotoPrintMenu)

Exception Object: java.lang.Exception: java.lang.NullPointerException  
MSG: java.lang.NullPointerException  
nov 19, 2014 10:25:51 AM com.servoy.j2db.util.Debug error  
SEVERE: null  
org.mozilla.javascript.WrappedException: Wrapped java.lang.Exception: java.lang.NullPointerException  
(DirectManager/forms/quotes\_detail/gotoPrintMenu#393)  
at org.mozilla.javascript.Context.throwAsScriptRuntimeEx(Context.java:1815)  
at org.mozilla.javascript.MemberBox.invoke(MemberBox.java:180)  
at org.mozilla.javascript.NativeJavaMethod.call(NativeJavaMethod.java:312)  
at org.mozilla.javascript.optimizer.OptRuntime.callN(OptRuntime.java:78)  
at org.mozilla.javascript.gen.DirectManager\_forms\_quotes\_print\_menu\_printQuoteJasper\_144.\_c\_printQuoteJasper\_0(Unknown Source)  
at org.mozilla.javascript.gen.DirectManager\_forms\_quotes\_print\_menu\_printQuoteJasper\_144.call(Unknown Source)  
at com.servoy.j2db.scripting.ScriptEngine.executeFunction(ScriptEngine.java:628)  
at com.servoy.j2db.BasicFormController.executeFunction(BasicFormController.java:818)  
at com.servoy.j2db.FormController.executeFunction(FormController.java:1274)  
at com.servoy.j2db.FormController.executeFunction(FormController.java:1141)  
at com.servoy.j2db.FormController\$ScriptExecuter.executeFunction(FormController.java:1053)  
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:284)  
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:250)  
at com.servoy.j2db.ui.BaseEventExecutor.fireActionCommand(BaseEventExecutor.java:218)  
at com.servoy.j2db.smart.dataui.AbstractScriptLabel\$5.mouseReleased(AbstractScriptLabel.java:929)  
at java.awt.Component.processMouseEvent(Unknown Source)  
at javax.swing.JComponent.processMouseEvent(Unknown Source)  
at java.awt.Component.processEvent(Unknown Source)  
at java.awt.Container.processEvent(Unknown Source)  
at java.awt.Component.dispatchEventImpl(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)

at java.awt.Window.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEventImpl(Unknown Source)  
at java.awt.EventQueue.access\$200(Unknown Source)  
at java.awt.EventQueue\$3.run(Unknown Source)  
at java.awt.EventQueue\$3.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.ProtectionDomain\$1.doIntersectionPrivilege(Unknown Source)  
at java.security.ProtectionDomain\$1.doIntersectionPrivilege(Unknown Source)  
at java.awt.EventQueue\$4.run(Unknown Source)  
at java.awt.EventQueue\$4.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.ProtectionDomain\$1.doIntersectionPrivilege(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.WaitDispatchSupport\$2.run(Unknown Source)  
at java.awt.WaitDispatchSupport\$4.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.awt.WaitDispatchSupport.enter(Unknown Source)  
at java.awt.Dialog.show(Unknown Source)  
at java.awt.Component.show(Unknown Source)  
at java.awt.Component.setVisible(Unknown Source)  
at java.awt.Window.setVisible(Unknown Source)  
at java.awt.Dialog.setVisible(Unknown Source)  
at com.servoy.j2db.util.gui.JEscapeDialog.setVisible(JEscapeDialog.java:170)  
at com.servoy.j2db.gui.FormDialog.setVisible(FormDialog.java:164)  
at com.servoy.j2db.smart.SwingRuntimeWindow.finalizeShowWindow(SwingRuntimeWindow.java:872)  
at com.servoy.j2db.smart.SwingRuntimeWindow.doOldShowInDialog(SwingRuntimeWindow.java:508)  
at com.servoy.j2db.smart.SwingRuntimeWindow.doOldShow(SwingRuntimeWindow.java:417)  
at com.servoy.j2db.scripting.RuntimeWindow.doShow(RuntimeWindow.java:295)  
at com.servoy.j2db.scripting.RuntimeWindow.show(RuntimeWindow.java:289)  
at com.servoy.j2db.scripting.RuntimeWindow.showObject(RuntimeWindow.java:276)  
at com.servoy.j2db.scripting.JSWindow.js\_show(JSWindow.java:155)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
at java.lang.reflect.Method.invoke(Unknown Source)  
at org.mozilla.javascript.MemberBox.invoke(MemberBox.java:158)  
at org.mozilla.javascript.NativeJavaMethod.call(NativeJavaMethod.java:312)  
at org.mozilla.javascript.optimizer.OptRuntime.call1(OptRuntime.java:62)  
at  
org.mozilla.javascript.gen.DirectManager\_forms\_quotes\_detail\_gotoPrintMenu\_129.\_c\_gotoPrintMenu\_0(DirectManager/forms/quotes\_detail/gotoPrintMenu:393)  
at  
org.mozilla.javascript.gen.DirectManager\_forms\_quotes\_detail\_gotoPrintMenu\_129.call(DirectManager/forms/quotes\_detail/gotoPrintMenu)  
at org.mozilla.javascript.ContextFactory.doTopCall(ContextFactory.java:406)  
at org.mozilla.javascript.ScriptRuntime.doTopCall(ScriptRuntime.java:3204)  
at  
org.mozilla.javascript.gen.DirectManager\_forms\_quotes\_detail\_gotoPrintMenu\_129.call(DirectManager/forms/quotes\_detail/gotoPrintMenu)  
at com.servoy.j2db.scripting.ScriptEngine.executeFunction(ScriptEngine.java:628)  
at com.servoy.j2db.BasicFormController.executeFunction(BasicFormController.java:818)  
at com.servoy.j2db.FormController.executeFunction(FormController.java:1274)  
at com.servoy.j2db.FormController.executeFunction(FormController.java:1141)  
at com.servoy.j2db.FormController\$ScriptExecutor.executeFunction(FormController.java:1053)  
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:284)  
at com.servoy.j2db.ui.BaseEventExecutor.fireEventCommand(BaseEventExecutor.java:250)  
at com.servoy.j2db.ui.BaseEventExecutor.fireActionCommand(BaseEventExecutor.java:218)  
at com.servoy.j2db.smart.dataui.AbstractScriptLabel\$5.mouseReleased(AbstractScriptLabel.java:929)  
at java.awt.AWTEventMulticaster.mouseReleased(Unknown Source)  
at java.awt.Component.processMouseEvent(Unknown Source)  
at javax.swing.JComponent.processMouseEvent(Unknown Source)  
at java.awt.Component.processEvent(Unknown Source)  
at java.awt.Container.processEvent(Unknown Source)

at java.awt.Component.dispatchEventImpl(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Window.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEventImpl(Unknown Source)  
at java.awt.EventQueue.access\$200(Unknown Source)  
at java.awt.EventQueue\$3.run(Unknown Source)  
at java.awt.EventQueue\$3.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.ProtectionDomain\$1.doIntersectionPrivilege(Unknown Source)  
at java.security.ProtectionDomain\$1.doIntersectionPrivilege(Unknown Source)  
at java.awt.EventQueue\$4.run(Unknown Source)  
at java.awt.EventQueue\$4.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.ProtectionDomain\$1.doIntersectionPrivilege(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)  
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)  
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)  
at java.awt.EventDispatchThread.run(Unknown Source)  
Caused by: java.lang.Exception: java.lang.NullPointerException  
at com.servoy.plugins.jasperreports.JasperReportsProvider.runReport(JasperReportsProvider.java:649)  
at com.servoy.plugins.jasperreports.JasperReportsProvider.js\_runReport(JasperReportsProvider.java:300)  
at com.servoy.plugins.jasperreports.JasperReportsProvider.js\_runReport(JasperReportsProvider.java:207)  
at com.servoy.plugins.jasperreports.JasperReportsProvider.js\_runReport(JasperReportsProvider.java:189)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
at java.lang.reflect.Method.invoke(Unknown Source)  
at org.mozilla.javascript.MemberBox.invoke(MemberBox.java:158)  
... 112 more  
Caused by: java.lang.NullPointerException  
at net.sf.jasperreports.engine.JRPropertiesUtil.getProperty(JRPropertiesUtil.java:143)  
at net.sf.jasperreports.engine.JRPropertiesUtil.getIntegerProperty(JRPropertiesUtil.java:559)  
at net.sf.jasperreports.engine.fill.JRVirtualizationContext.readObject(JRVirtualizationContext.java:376)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
at java.lang.reflect.Method.invoke(Unknown Source)  
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)  
at java.io.ObjectInputStream.readSerialData(Unknown Source)  
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)  
at java.io.ObjectInputStream.readObject0(Unknown Source)  
at java.io.ObjectInputStream.readObject(Unknown Source)  
at net.sf.jasperreports.engine.base.ElementsBlock.readObject(VirtualizableElementList.java:559)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
at java.lang.reflect.Method.invoke(Unknown Source)  
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)  
at java.io.ObjectInputStream.readSerialData(Unknown Source)  
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)  
at java.io.ObjectInputStream.readObject0(Unknown Source)  
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)  
at java.io.ObjectInputStream.readSerialData(Unknown Source)  
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)  
at java.io.ObjectInputStream.readObject0(Unknown Source)  
at java.io.ObjectInputStream.readObject(Unknown Source)  
at net.sf.jasperreports.engine.base.JRVirtualPrintPage.readObject(JRVirtualPrintPage.java:241)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

```
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at java.util.ArrayList.readObject(Unknown Source)
at sun.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.defaultReadObject(Unknown Source)
at net.sf.jasperreports.engine.JasperPrint.readObject(JasperPrint.java:681)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at sun.rmi.server.UnicastRef.unmarshalValue(Unknown Source)
at sun.rmi.server.UnicastRef.invoke(Unknown Source)
at com.servoy.plugins.jasperreports.JasperReportsServer_Stub.getJasperPrint(Unknown Source)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at com.servoy.j2db.util.AbstractRemoteInvocationHandler.invokeMethod(AbstractRemoteInvocationHandler.java:77)
at com.servoy.j2db.util.ThreadingRemoteInvocationHandler$1.run(ThreadingRemoteInvocationHandler.java:79)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

nov 19, 2014 10:25:51 AM com.servoy.j2db.util.Debug error  
SEVERE: null, script stacktrace:  
at DirectManager/forms/quotes\_detail/gotoPrintMenu:393 (gotoPrintMenu)

nov 19, 2014 10:26:17 AM com.servoy.j2db.util.Debug error  
SEVERE: Throwable  
java.lang.NullPointerException  
at net.sf.jasperreports.engine.JRPropertiesUtil.getProperty(JRPropertiesUtil.java:143)  
at net.sf.jasperreports.engine.JRPropertiesUtil.getIntegerProperty(JRPropertiesUtil.java:559)  
at net.sf.jasperreports.engine.fill.JRVirtualizationContext.readObject(JRVirtualizationContext.java:376)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
at java.lang.reflect.Method.invoke(Unknown Source)  
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)  
at java.io.ObjectInputStream.readSerialData(Unknown Source)  
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)  
at java.io.ObjectInputStream.readObject0(Unknown Source)  
at java.io.ObjectInputStream.readObject(Unknown Source)  
at net.sf.jasperreports.engine.base.ElementsBlock.readObject(VirtualizableElementList.java:559)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

```
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at net.sf.jasperreports.engine.base.JRVirtualPrintPage.readObject(JRVirtualPrintPage.java:241)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at java.util.ArrayList.readObject(Unknown Source)
at sun.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.defaultReadFields(Unknown Source)
at java.io.ObjectInputStream.defaultReadObject(Unknown Source)
at net.sf.jasperreports.engine.JasperPrint.readObject(JasperPrint.java:681)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at java.io.ObjectStreamClass.invokeReadObject(Unknown Source)
at java.io.ObjectInputStream.readSerialData(Unknown Source)
at java.io.ObjectInputStream.readOrdinaryObject(Unknown Source)
at java.io.ObjectInputStream.readObject0(Unknown Source)
at java.io.ObjectInputStream.readObject(Unknown Source)
at sun.rmi.server.UnicastRef.unmarshalValue(Unknown Source)
at sun.rmi.server.UnicastRef.invoke(Unknown Source)
at com.servoy.plugins.jasperreports.JasperReportsServer_Stub.getJasperPrint(Unknown Source)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at com.servoy.j2db.util.AbstractRemoteInvocationHandler.invokeMethod(AbstractRemoteInvocationHandler.java:77)
at com.servoy.j2db.util.ThreadingRemoteInvocationHandler$1.run(ThreadingRemoteInvocationHandler.java:79)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

nov 19, 2014 10:26:17 AM com.servoy.j2db.util.Debug error  
SEVERE: Throwable, script stacktrace:  
at DirectManager/forms/quotes\_detail/gotoPrintMenu:393 (gotoPrintMenu)

## History

#1 - 05/27/2015 09:06 AM - Gabi Boros

- Status changed from New to Resolved

fixed in 4.0.3 by using jasperlib v. 4.7.1